
RIDDLING RANGE

The world reference of automated riddling

RIDDLING BOX 255

One shape of riddling box All types of bottles



Storage and riddling box.
The solution for small productions.









flat bottom

PRODUCT DESCRIPTION

This box has a capacity of 255 traditional champagne and 255 cremant bottles, with holding wedges for 378 37.5 cl bottles and 84 magnums.

Study for special bottles holding wedges on request.

This space-saving riddling box 255 is made for riddling in the Gyro Compact®.

Load capacity with 600 mm gravity center : 500 kg

Max lifting height: 1600 mm

(in case of loading / un-loading and 1/1 stacking). For stacking above 1/1, see the forks lifting height.





CONVENIENT

The interchangeable inside holding wedge makes it possible to riddle several types of bottles: traditional champagne bottles, cremant bottles, 37.cl bottles, magnums and special bottles.



FUNCTIONAL


Handling with a free height manual pallet truck or forklift truck.



STRONG

The 4 dismountable panels are eclectro-galvanised giving the 255 box a great resistance of the contraction o environment.

Examples of capacities*



255 Traditional bottles



255 Cremant bottles






378 37.5 cl bottles



84 Magnums



Cuvée des Sacres (Special bottles on request)




DISMOUNTABLE

The four panels of the riddling box are delivered unassembled with a set of bolts. An assembly service is proposed on request.



The 6th side grid can be adjusted according to the number of lays of bottles. Thus allowing to riddle only one lay of bottles.



SECURED


The riddling gate comes in two seperate parts to hold the bottles during riddling and to easily unload the bottles.




Riddling box weight: 66 kg

This weight includes the box with the door and the 6th side grid, without spacer bar.

Theoretical weight



side






Gyro Compact®

Given its compact size and mobility, this Gyropalette® is made for small cellars.

- compact size: the Gyro Compact requires limited space, it is suited to all type of cellars. The unloading height is less than 2 meters.
- **EASY MOVING** thanks to the forklifts passages enabling the Gyro Compact to be transported from the side or the front on manual pallet truck.
- **EASY INSTALLATION:** a single phase 230 V is enough to make it works.

Loading

14.7 - EN_0925 - Non contractual document



Unloading



